

## 2010

[Long-term developmental follow-up of infants who participated in a randomized clinical trial of amniocentesis vs laser photocoagulation for the treatment of twin-to-twin transfusion syndrome.](#)

Salomon LJ, Orqvist L, Aegerter P, Bussieres L, Staracci S, Stirnemann JJ, Essaoui M, Bernard JP, Ville Y. Am J Obstet Gynecol. 2010 Nov;203(5):444.e1-7.

[Specific complications of monochorionic twin pregnancies: twin-twin transfusion syndrome and twin reversed arterial perfusion sequence.](#)

Chalouhi GE, Stirnemann JJ, Salomon LJ, Essaoui M, Quibel T, Ville Y.

Semin Fetal Neonatal Med. 2010 Dec;15(6):349-56. Epub 2010 Sep 19.

[Evaluation of the CHOP cardiovascular score as a prognostic predictor of outcome in twin-twin transfusion syndrome after laser coagulation of placental vessels in a prospective cohort.](#)

Stirnemann JJ, Nasr B, Proulx F, Essaoui M, Ville Y.

Ultrasound Obstet Gynecol. 2010 Jul;36(1):52-7.

[Validity of sonographic prediction of fetal weight and weight discordance in twin pregnancies.](#)

Diaz-Garcia C, Bernard JP, Ville Y, Salomon LJ.

Prenat Diagn. 2010 Apr;30(4):361-7

[A template for defining the perinatal care of monochorionic twins: the Istanbul international ad hoc committee.](#)

Blickstein I, Arabin B, Lewi L, Matias A, Kavak ZN, Basgul A, Kalish R, Vladareanu R, Ville Y.

J Perinat Med. 2010 Mar;38(2):107-10. Erratum in: J Perinat Med. 2010 May;38(3):343. Valideranu, Radu [corrected to Vladareanu, Radu].

[Direct visual control on cord coagulation using a fetoscopy-guided bipolar forceps. Description of a new technique.](#)

Yamamoto M, Barki G, Ville Y.

Prenat Diagn. 2010 Feb;30(2):156-8.

[Profiling fetal cardiac function in twin-twin transfusion syndrome.](#)

Stirnemann JJ, Mougeot M, Proulx F, Nasr B, Essaoui M, Fouron JC, Ville Y.

Ultrasound Obstet Gynecol. 2010 Jan;35(1):19-27.

## 2009

[Neurodevelopmental outcome at 2 years in children born preterm treated by amnioreduction or fetoscopic laser surgery for twin-to-twin transfusion syndrome: comparison with dichorionic twins.](#)

Lenclen R, Ciarlo G, Paupe A, Bussieres L, Ville Y.

Am J Obstet Gynecol. 2009 Sep;201(3):291.e1-5. Epub 2009 Jul 15.

[\[Monozygotic heterocaryotic twins: prenatal diagnosis and management\]](#)

Barré M, Le Caignec C, Rival JM, Le Vaillant C, Salomon LJ, Boscher C, Philippe HJ, Ville Y, Vialard F, Winer N.

Presse Med. 2009 Jul-Aug;38(7-8):1170-3. Epub 2009 Apr 17. French. No abstract available.

[Selective laser photocoagulation versus serial amniodrainage for the treatment of twin-twin transfusion syndrome: a cost-effectiveness analysis.](#)

Odibo AO, Caughey AB, Grobman W, Stamilio DM, Ville Y.

J Perinatol. 2009 Aug;29(8):543-7. Epub 2009 Apr 2.

## **2008**

### [Recent developments in fetal surgery. Technical, organizational and ethical considerations]

Ville Y.

Bull Acad Natl Med. 2008 Nov;192(8):1611-21; discussion 1621-4. Review. French.

### [Twin-to-twin transfusion syndrome: diagnosis and treatment]

Salomon LJ, Ville Y.

Bull Acad Natl Med. 2008 Nov;192(8):1575-86; discussion 1586-7. Review. French.

### Emergency cerclage in cases of twin-to-twin transfusion syndrome with a short cervix at the time of surgery and relationship to perinatal outcome.

Salomon LJ, Nasr B, Nizard J, Bernard JP, Essaoui M, Bussieres L, Ville Y.

Prenat Diagn. 2008 Dec;28(13):1256-61.

### Pseudoamniotic band syndrome: a rare complication of monochorionic twins with fetofetal transfusion syndrome treated by laser coagulation.

Winer N, Salomon LJ, Essaoui M, Nasr B, Bernard JP, Ville Y.

Am J Obstet Gynecol. 2008 Apr;198(4):393.e1-5.

### Outcome of anaemic monochorionic single survivors following early intrauterine rescue transfusion in cases of feto-fetal transfusion syndrome.

Quarello E, Stirnemann J, Nassar M, Nasr B, Bernard JP, Leleu-Huard F, Ville Y.

BJOG. 2008 Apr;115(5):595-601.

### Update on twin-to-twin transfusion syndrome.

El Kateb A, Ville Y.

Best Pract Res Clin Obstet Gynaecol. 2008 Feb;22(1):63-75. Epub 2008 Feb 8. Review.

### A definition of selectivity in laser coagulation of chorionic plate anastomoses in twin-to-twin transfusion syndrome and its relationship to perinatal outcome.

Stirnemann JJ, Nasr B, Quarello E, Ortqvist L, Nassar M, Bernard JP, Ville Y.

Am J Obstet Gynecol. 2008 Jan;198(1):62.e1-6.

### Twins discordant for fetal skeletal abnormalities: a natural confrontation between the two siblings.

Quarello E, Roume J, Molho M, Gorincour G, Saada J, Simon I, Bernard JP, Ville Y.

Prenat Diagn. 2008 Jan;28(1):21-7. Review.

## **2007**

### The Istanbul international consensus statement on the perinatal care of multiple pregnancy.

Blickstein I, Arabin B, Chervenak FA, Kavak ZN, Keith LG, Shinwell ES, Basgul A, Ville Y.

J Perinat Med. 2007;35(6):465-7.

### Twin-to-twin transfusion syndrome: time to forget the Quintero staging system?

Ville Y.

Ultrasound Obstet Gynecol. 2007 Dec;30(7):924-7. No abstract available.

### Three-dimensional sonographic assessment of fetal urine production before and after laser surgery in twin-to-twin transfusion syndrome.

Yamamoto M, Essaoui M, Nasr B, Malek N, Takahashi Y, Moreira de Sa R, Ville Y.

Ultrasound Obstet Gynecol. 2007 Dec;30(7):972-6.

[\[Screening for aneuploidies in twins\]](#)

Quarello E, Ville Y.

Gynecol Obstet Fertil. 2007 Dec;35(12):1195-203. Epub 2007 Nov 26. Review. French.

[Laser treatment in twin-to-twin transfusion syndrome.](#)

Yamamoto M, Ville Y.

Semin Fetal Neonatal Med. 2007 Dec;12(6):450-7. Epub 2007 Oct 22. Review.

[Incidence, mechanisms, and patterns of fetal cerebral lesions in twin-to-twin transfusion syndrome.](#)

Quarello E, Molho M, Ville Y.

J Matern Fetal Neonatal Med. 2007 Aug;20(8):589-97.

[First-trimester ultrasound examination and the outcome of monochorionic twin pregnancies.](#)

El Kateb A, Nasr B, Nassar M, Bernard JP, Ville Y.

Prenat Diagn. 2007 Oct;27(10):922-5.

[Neonatal outcome in preterm monochorionic twins with twin-to-twin transfusion syndrome after intrauterine treatment with amnioreduction or fetoscopic laser surgery: comparison with dichorionic twins.](#)

Lenclen R, Paupe A, Ciarlo G, Couderc S, Castela F, Ortqvist L, Ville Y.

Am J Obstet Gynecol. 2007 May;196(5):450.e1-7.

[Intertwin discordance in umbilical venous volume flow: a reflection of blood volume imbalance in twin-to-twin transfusion syndrome.](#)

Yamamoto M, Nasr B, Ortqvist L, Bernard JP, Takahashi Y, Ville Y.

Ultrasound Obstet Gynecol. 2007 Mar;29(3):317-20.

[Maternal pseudo primary hyperaldosteronism in twin-to-twin transfusion syndrome.](#)

Gussi IL, Nizard J, Yamamoto M, Robyr R, Ville Y.

BJOG. 2007 Jan;114(1):65-9.

[Intrathoracic pressure in congenital chylothorax: keystone for the rationale of thoracoamniotic shunting?](#)

Yamamoto M, Insunza A, Carrillo J, Caicedo LA, Paiva E, Ville Y.

Fetal Diagn Ther. 2007;22(3):169-71. Epub 2007 Jan 16.

[Modeling severely discordant hematocrits and normal amniotic fluids after incomplete laser therapy in twin-to-twin transfusion syndrome.](#)

van den Wijngaard JP, Lewi L, Lopriore E, Robyr R, Middeldorp JM, Vandenbussche FP, Devlieger R, Deprest J, Ville Y, van Gemert MJ.

Placenta. 2007 Jul;28(7):611-5. Epub 2006 Nov 13.

## 2006

[\[Specific aspects of monochorionic pregnancies\]](#)

Quarello E, Ville Y.

Rev Prat. 2006 Dec 31;56(20):2239-47. French.

[Maternal hemodynamic changes following treatment by laser coagulation of placental vascular anastomoses and amnioreduction in twin-to-twin transfusion syndrome.](#)

Nizard J, Gussi I, Ville Y.

Ultrasound Obstet Gynecol. 2006 Oct;28(5):670-3.

Chorionicity and mode of fertilization: a long-standing misconception.

Ville Y.

Ultrasound Obstet Gynecol. 2006 Oct;28(5):635-6. Review. No abstract available.

Twin reversed arterial perfusion: fetoscopic laser coagulation of placental anastomoses or the umbilical cord.

Hecher K, Lewi L, Gratacos E, Huber A, Ville Y, Deprest J.

Ultrasound Obstet Gynecol. 2006 Oct;28(5):688-91.

Recent findings on laser treatment of twin-to-twin transfusion syndrome.

Yamamoto M, Ville Y.

Curr Opin Obstet Gynecol. 2006 Apr;18(2):87-92. Review.

Intrauterine fetal demise following laser treatment in twin-to-twin transfusion syndrome.

Cavicchioni O, Yamamoto M, Robyr R, Takahashi Y, Ville Y.

BJOG. 2006 May;113(5):590-4. Epub 2006 Mar 27.

Prevalence and management of late fetal complications following successful selective laser coagulation of chorionic plate anastomoses in twin-to-twin transfusion syndrome.

Robyr R, Lewi L, Salomon LJ, Yamamoto M, Bernard JP, Deprest J, Ville Y.

Am J Obstet Gynecol. 2006 Mar;194(3):796-803

Intertwin anastomoses in monochorionic placentas after fetoscopic laser coagulation for twin-to-twin transfusion syndrome: is there more than meets the eye?

Lewi L, Jani J, Cannie M, Robyr R, Ville Y, Hecher K, Gratacos E, Vandecruys H, Vandecaveye V, Dymarkowski S, Deprest J.

Am J Obstet Gynecol. 2006 Mar;194(3):790-5.

## 2005

Simulation of therapy in a model of a nonhydropic and hydropic recipient in twin-twin transfusion syndrome.

van den Wijngaard JP, Ross MG, van der Sloot JA, Ville Y, van Gemert MJ.

Am J Obstet Gynecol. 2005 Dec;193(6):1972-80.

Twin-to-twin transfusion syndrome: management options and outcomes.

Yamamoto M, Ville Y.

Clin Obstet Gynecol. 2005 Dec;48(4):973-80. Review. No abstract available.

Management of fetofetal transfusion syndrome.

Robyr R, Quarello E, Ville Y.

Prenat Diagn. 2005 Sep;25(9):786-95. Review.

Selective feticide in complicated monochorionic twin pregnancies using ultrasound-guided bipolar cord coagulation.

Robyr R, Yamamoto M, Ville Y.

BJOG. 2005 Oct;112(10):1344-8.

Growth discrepancy in twins in the first trimester of pregnancy.

Salomon LJ, Cavicchioni O, Bernard JP, Duyme M, Ville Y.

Ultrasound Obstet Gynecol. 2005 Oct;26(5):512-6

Analysis of fetal growth after laser therapy in twin-to-twin transfusion syndrome.

Moreira de Sa RA, Salomon LJ, Takahashi Y, Yamamoto M, Ville Y.  
J Ultrasound Med. 2005 Sep;24(9):1213-9; quiz 1220-1.

First-trimester crown-rump-length (CRL) discrepancy: much ado about nothing?

Salomon LJ, Ville Y.  
Am J Obstet Gynecol. 2005 Aug;193(2):592-3; author reply 593-4. No abstract available.

Cervical length as a prognostic factor for preterm delivery in twin-to-twin transfusion syndrome treated by fetoscopic laser coagulation of chorionic plate anastomoses.

Robyr R, Boulvain M, Lewi L, Huber A, Hecher K, Deprest J, Ville Y.  
Ultrasound Obstet Gynecol. 2005 Jan;25(1):37-41.

## 2004

Endoscopic laser surgery versus serial amnioreduction for severe twin-to-twin transfusion syndrome.

Senat MV, Deprest J, Boulvain M, Paupe A, Winer N, Ville Y.  
N Engl J Med. 2004 Jul 8;351(2):136-44. Epub 2004 Jul 6.

Diprosopus associated with neural tube defect and facial cleft in the first trimester.

Bulbul Y, Drummond CL, Hillion Y, Bidat L, Ville Y.  
Fetal Diagn Ther. 2004 May-Jun;19(3):246-50.

## 2003

The value of middle cerebral artery peak systolic velocity in the diagnosis of fetal anemia after intrauterine death of one monochorionic twin.

Senat MV, Loizeau S, Couderc S, Bernard JP, Ville Y.  
Am J Obstet Gynecol. 2003 Nov;189(5):1320-4.

Selective feticide in monochorionic pregnancies: toys for the boys or standard of care?

Ville Y.  
Ultrasound Obstet Gynecol. 2003 Nov;22(5):448-50. No abstract available.

Periventricular leukomalacia and mode of delivery in twins under 1500 g.

Salomon LJ, Duyme M, Rousseau A, Audibert F, Paupe A, Zupan V, Ville Y.  
J Matern Fetal Neonatal Med. 2003 Apr;13(4):224-9.

Fetal hypertension: an insight into the pathogenesis of the twin-twin transfusion syndrome.

Mahieu-Caputo D, Salomon LJ, Le Bidois J, Fermont L, Brunhes A, Jouvet P, Dumez Y, Dommergues M.  
Prenat Diagn. 2003 Aug;23(8):640-5.

## 2002

Management of single fetal death in twin-to-twin transfusion syndrome: a role for fetal blood sampling.

Senat MV, Bernard JP, Loizeau S, Ville Y.  
Ultrasound Obstet Gynecol. 2002 Oct;20(4):360-3

[What's new in fetal medicine?]

Mahieu-Caputo D, Senat MV, Romana S, Houfflin-Debarge V, Gosset P, Audibert F, Bessis R, Ville Y,  
Vekemans M, Dommergues M.  
Arch Pediatr. 2002 Feb;9(2):172-86. Review. French.

## **2001**

[Acquired right heart outflow tract anomaly without systemic hypertension in recipient twins in twin-twin transfusion syndrome.](#)

Nizard J, Bonnet D, Fermont L, Ville Y.

Ultrasound Obstet Gynecol. 2001 Dec;18(6):669-72.

## **2000**

[Twin-to-twin transfusion syndrome--debates on the etiology, natural history and management.](#)

De Lia J, Fisk N, Hecher K, Machin G, Nicolaides K, Hyett J, Quintero R, Thilaganathan B, Ville Y.

Ultrasound Obstet Gynecol. 2000 Sep;16(3):210-3. No abstract available.

[Fetal biometric parameters, twin type and birth weight difference. A longitudinal study.](#)

Charlemaire C, Duyne M, Ville Y, Aurengo A, Tremblay R, Frydman R, Pons JC.

Eur J Obstet Gynecol Reprod Biol. 2000 Nov;93(1):27-32.

[\[Monochorionic twin pregnancies : dangerous liaisons\]](#)

Ville Y.

J Gynecol Obstet Biol Reprod (Paris). 2000 May;29(3):223-6. French.

## **1999**

[Lung development in diamniotic twins discordant for complete urinary tract obstruction.](#)

Holden DP, Schwarzler P, De Tayrac R, Senat MV, Ville Y.

Fetal Diagn Ther. 1999 Sep-Oct;14(5):296-300.

[Trisomy 2 in an acardiac twin in a triplet in-vitro fertilization pregnancy.](#)

Chaliha C, Schwarzler P, Booker M, Battash MA, Ville Y.

Hum Reprod. 1999 May;14(5):1378-80.

[Diagnosis of twin reversed arterial perfusion sequence in the first trimester by transvaginal color Doppler ultrasound.](#)

Schwärzler P, Ville Y, Moscoso G, Tennstedt C, Bollmann R, Chaoui R.

Ultrasound Obstet Gynecol. 1999 Feb;13(2):143-6.

## **1998**

[Stuck twin syndrome without signs of twin-to-twin transfusion.](#)

Lees CC, Schwärzler P, Ville Y, Campbell S.

Ultrasound Obstet Gynecol. 1998 Sep;12(3):211-4.

[Fetal and neonatal hypertension in twin-twin transfusion syndrome: a case report.](#)

Baud O, Lebidois J, Van Peborgh P, Ville Y.

Fetal Diagn Ther. 1998 Jul-Aug;13(4):223-6

[Twin-to-twin transfusion syndrome: polyhydramnios-associated changes in maternal plasma volume and maternal plasma aldosterone concentrations. A preliminary study.](#)

Van Peborgh P, Morineau G, Bussières L, Escourrou P, Ville Y.

Fetal Diagn Ther. 1998 May-Jun;13(3):184-6.

Management of a case of twin-to-twin transfusion syndrome by a combined surgical approach.

Van Peborgh P, Pelletier G, Suarez B, Ville Y.  
Fetal Diagn Ther. 1998 Mar-Apr;13(2):75-8.

[Twin transfusion syndrome]

Ville Y.  
J Gynecol Obstet Biol Reprod (Paris). 1998 Apr;27(3):255-7. Review. French. No abstract available.

Endoscopic laser coagulation in the management of severe twin-to-twin transfusion syndrome.

Ville Y, Hecher K, Gagnon A, Sebire N, Hyett J, Nicolaides K.  
Br J Obstet Gynaecol. 1998 Apr;105(4):446-53.

**1997**

Biparietal diameter in twins at gestational weeks 18-32. Differences and similarities. Le Groupe Romulus.

Charlemaire C, Duyme M, Dubreuil E, Clauzel JP, Brossard Y, Aurengo A, Ville Y, Frydman R, Pons JC.  
J Reprod Med. 1997 Nov;42(11):725-30.

Umbilical cord coagulation by operative microendoscopy at 16 weeks' gestation in an acardiac twin.

Hecher K, Hackeloer BJ, Ville Y.  
Ultrasound Obstet Gynecol. 1997 Aug;10(2):130-2.

Monochorionic twin pregnancies: 'les liaisons dangereuses'.

Ville Y.  
Ultrasound Obstet Gynecol. 1997 Aug;10(2):82-5. Review. No abstract available.

Laser-induced thermotherapy for severe twin-twin transfusion syndrome.

Deprest J, Van Schoubroeck D, Vandenbergh K, Ville Y, Gagnon A, Hecher K, Hackeloer BJ.  
Fetal Diagn Ther. 1997 May-Jun;12(3):193-4. No abstract available.

[Surgical treatment of twin-to-twin transfusion syndrome: coagulation of anastomoses with a Nd:YAG laser, under endosonographic control. Forty four cases]

Ville Y, Van Peborgh P, Gagnon A, Frydman R, Fernandez H.  
J Gynecol Obstet Biol Reprod (Paris). 1997;26(2):175-81. French.

**1996**

Amniotic fluid pressure in twin-to-twin transfusion syndrome: an objective prognostic factor.

Ville Y, Sideris I, Nicolaides KH.  
Fetal Diagn Ther. 1996 May-Jun;11(3):176-80.

**1995**

Doppler studies of the fetal circulation in twin-twin transfusion syndrome.

Hecher K, Ville Y, Snijders R, Nicolaides K.  
Ultrasound Obstet Gynecol. 1995 May;5(5):318-24.

Fetal arterial Doppler studies in twin-twin transfusion syndrome.

Hecher K, Ville Y, Nicolaides KH.  
J Ultrasound Med. 1995 Feb;14(2):101-8.

Preliminary experience with endoscopic laser surgery for severe twin-twin transfusion syndrome.

Ville Y, Hyett J, Hecher K, Nicolaides K.  
N Engl J Med. 1995 Jan 26;332(4):224-7.

Color Doppler ultrasonography in the identification of communicating vessels in twin-twin transfusion syndrome and acardiac twins.

Hecher K, Ville Y, Nicolaides KH.  
J Ultrasound Med. 1995 Jan;14(1):37-40.

**1994**

Endoscopic laser coagulation of umbilical cord vessels in twin reversed arterial perfusion sequence.

Ville Y, Hyett JA, Vandenbussche FP, Nicolaides KH.  
Ultrasound Obstet Gynecol. 1994 Sep 1;4(5):396-8.

Umbilical artery steal syndrome and distal gangrene in a case of twin-twin transfusion syndrome.

Hecher K, Ville Y, Nicolaides K.  
Obstet Gynecol. 1994 May;83(5 Pt 2):862-5.

**1992**

Successful outcome after Nd : YAG laser separation of chorioangiopagus-twins under sonoendoscopic control.

Ville Y, Hecher K, Ogg D, Warren R, Nicolaides K.  
Ultrasound Obstet Gynecol. 1992 Nov 1;2(6):429-31.